

Maintenance Spray H1



- eliminates moisture, lubricates and protects against rust
- frees up bolts and nuts
- fast creep and penetration capacity
- eliminates water and moisture
- cleans and protects
- NSF approved



GENERAL INFORMATION

MAINTENANCE SPRAY H1 is an NSF type 1 registered lubricant, formulated from ingredients that are all NSF registered.

MAINTENANCE SPRAY H1 combines a high creep capacity with fast moisture elimination for use in all food processing companies.

MAINTENANCE SPRAY H1 loosens up jammed screws, bolts, nuts, pipe fittings and connections.

MAINTENANCE SPRAY H1 leaves a protective film behind which prevents rust and oxidation.

TECHNICAL INFORMATION

NSF registration number	: Category H1
Compliant with	: FDA, Titel 21, Sektion 178.3570
Free of	: lead, animal fat and synthetic oils
Odour	: typical
Operating temperature	: -15°C to +110°C
Safety measures	: Please consult the MSDS (Material Safety Data Sheet)



PACKAGING

Aerosol 400 ml	Article number 232501000
Abbreviation	MS1

APPLICATIONS

MAINTENANCE SPRAY H1 is suitable for all food processing companies and firms which develop machinery that may come in contact with food:

- all food companies
 - abattoirs
 - dairy factories
 - bakeries
 - canneries
 - breweries
 - bottle manufacturing plants
 - cardboard factories
-
- stops and prevents short circuits
 - frees up solidly rusted nuts, bolts, screws, valves, flaps and moving parts
 - cleans electrical and non-electrical contacts
 - protects printed circuit boards, electrical contacts, sensors, switches, ... against moisture
 - gets RVS and chromium components shining again
 - removes oil and tar stains
 - repels moisture from switchboxes and electronic measuring equipment
 - detaches tar and old greases
 - protects and creates a shine on uncoated and painted metal components
 - keeps operating handles, guides and machine rods in good operating conditions
 - protects tools and machines



OPERATING INSTRUCTIONS

- Shake aerosol well before use.
- Spray application sufficiently from a distance of +/- 25 cm.

232501000-PI-Maintenance Spray H1-EN-080902-p2/2

All information, including illustrations, is believed to be reliable. Users, however, should independently evaluate the suitability of each product for their application. Novatio makes no warranties as to the accuracy or completeness of the information, and disclaims any liability regarding its use. Novatio's only obligations are those in the Standard terms and conditions of Sale for this product, and in no case will Novatio be liable for any incidental, indirect or consequential damages arising from the sale, resale, use or misuse of the product.



Nonfood Compounds
Program Listed

May 19, 2008

Mr. Bert Vissers
NOVATIO BELGIUM N.V.
INDUSTRIELAAN 5A
OLEN
BELGIUM

RE: Maintenance Spray H1
Category Code: H1
NSF Registration No. 140736

Dear Mr. Bert Vissers:

NSF has processed the application for Registration of **Maintenance Spray H1** to the NSF International Registration Guidelines for Proprietary Substances and Nonfood Compounds (2007), which are available at www.nsfwhitebook.org. The NSF Nonfood Compounds Registration Program is a continuation of the USDA product approval and listing program, which is based on meeting regulatory requirements including FDA 21 CFR for appropriate use, ingredient and labeling review.

This product is acceptable as a lubricant with incidental food contact (H1) for use in and around food processing areas. Such compounds may be used on food processing equipment as a protective anti-rust film, as a release agent on gaskets or seals of tank closures, and as a lubricant for machine parts and equipment in locations in which there is a potential exposure of the lubricated part to food. The amount used should be the minimum required to accomplish the desired technical effect on the equipment. If used as an anti-rust film, the compound must be removed from the equipment surface by washing or wiping, as required to leave the surface effectively free of any substance which could be transferred to food being processed.

NSF Registration of this product is current when the NSF Registration Number, Category Code, and Registration Mark appear on the NSF-approved product label, and the registered product name is included in the current NSF White Book Listing of Nonfood Compounds at the NSF website (www.nsfwhitebook.org). The NSF Registration Mark can be downloaded by clicking the "Download Registration Mark" link on the NSF website (www.nsfwhitebook.org).

NSF Listing of all registered Nonfood compounds by NSF International is not an endorsement of those compounds, or of any performance or efficacy claims made by the manufacturer.

Registration status may be verified at any time via the NSF web site, at www.nsfwhitebook.org. Changes in formulation or label, without the prior written consent of NSF, will void registration, and will supersede the on-line listing.

Sincerely,

Jennifer De France
NSF Nonfood Compounds Registration Program

Company No: 3N670